THE BANK OF MYSORE, LIMITED, BANGALORE.

Statement of the affairs of the Bank of Mysore, Limited, for the week ending 26th May 1939, published under Article 141 of the Articles of Association.

LIABILITIES	Rs.	ASSETS	Rs.
To Capital Receipts	20,00,000	By Cash in hand and at Bankers	31,14,185
„ Reserve Fund	26,50,000	„ Loans and Cash Credit Accounts	191,86,637
„ Public and other Deposits	282,10,772	„ Bills discounted and purchased	10,86,187
„ Sundries	4,61,351	„ Investments	88,88,478
		„ Balance at Agencies	
		„ Dead Stock	8,99,070
		„ Sundries	1,47,566
Total Rs.	333,22,123	Rs.	333,22,123

(Annas and pies omitted.)

BANGALORE,
Dated 30th May 1939.

T. M. S. SUBRAMANIAM,
For *Manager.*

"I, E. Rudrappa, intend to change my name to R. E. Kotre."

E. RUDRAPPA, care of Messrs. S. R. Mandre & Co., Dharwar.

IN THE MATTER OF THE MYSORE COMPANIES ACT XVIII OF 1938 AND OF THE DECCAN AND COMMERCIAL BANK LIMITED (IN LIQUIDATION).

Mis. No. 6 of 1938-39.

The Additional District Judge, Bangalore Division, by an order dated the 27th day of March 1939 appointed James Voce Pirrie and Cyril Gill of 17, Armenian Street, Madras, and of Asiatic Buildings, Kempe Gowda Road, Bangalore City, to be the Official Liquidators of the above named Company.

Dated this 22nd day of April 1939.

J. V. PIRRIE,
C. GILL,
Official Liquidators.

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 31388-405, *dated 23rd May* 1939.

To

The Firms dealing in Telephones

Enquiry No. 3446.

HARD MICRO-TELEPHONE SETS.

GENTLEMEN,

I write to request you to quote your best price and earliest time of delivery for the following materials, conforming to the specifications given below:—

500—Desk type Hand-Micro Telephone sets in casing of black moulded material with ringing bell incorporated in the casing suitable for centre battery working and provided with a number Dial Switch suitable for automatic telephone traffic and conforming to the British Standard Specification.

These instruments are intended to ork won the Bangalore and Mysore-Automatic Telephone Exchange equipments supplied by Messrs. Siemens Brothers, London. The Bangalore Automatic Telephone Exchange is equipped with No 51 Equipment and the Mysore Automatic Telehpone Exchange with No. 16 equipment. The instrument shall be specially designed to meet the requirements in tropical countries.

The transmitter shall be of the inset type of the latest design and the receiver shall have a transmission efficiency much superior to the normal commercial bell receiver.

The electrodes shall be wholly immersed in the granules to ensure permanent contact and uniform pressure.

The moving parts shall have the least effective mass and the instruments shall not fry or howl or break circuit. The transmission efficiency and resistance of the set shall remain steady irrespective of the manner in which the instruments are held. The transmission efficiency shall not be less than that specified in the British Post Office standards.

The instruments shall be so designed that the side tone is fully controlled. Full description of the method adopted to overcome the side tone must be furnished by the tenderer and all literature relating to this must be furnished along with the tender.

The side tone circuit must be designed to control the side tone with equal efficiency not only on extremely short and medium lengths but also on long distant connections.

The telephone subscribers are connected to the exchanges partly by No. 10 B. & S. Copper overhead wires and partly by underground cable of 10 lbs. section. The Microphones must be designed to work satisfactorily under these conditions.

The side tone shall always be kept within such limits that the speaker does not experience overloading effect in spite of the wide range of line condition which would be met in actual practice. If the instruments are fitted with radio interference eliminator, full and detailed description of this equipment must be furnished along with the tender.

Descriptive literature giving full details of the Telephone offered must be furnished with the tenders.

The prices to be quoted should be for delivery, c.i.f. Madras, and f.o.r., Bangalore.

This enquiry will close on the 10th July 1939.

No. S. P. C. 31620-30 dated 24th May 1939.

To

The Firms dealing in Teakwood Materials.

Enquiry No. 3448.

TEAKWOOD MATERIALS FOR THE TRANSFORMER SECTION.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Teakwood materials for the Transformer Section" with the above enquiry Number.

This enquiry will be closed on the 16th June 1939.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
	Well seasoned teakwood, free from defects such as knots, white sapwood bends, etc., required for the Tranformers Section.		*Bangalore City.*	
	Length in feet × *Width in inches* × *Thickness in inches*			
1	Logs .. 6 × 18 × 15 ..	12		
	6 × 18 × 12 ..	12		
	6 × 15 × 12 ..	12		
	6 × 12 × 12 ..	12		
	6 × 9 × 9	12		
2	Planks .. 6 × 24 × 1¼ ..	24 in each size.		
	6 × 18 × 1¼ ..	do		
	6 × 15 × 1¼ ..	do		
	6 × 12 × 1¼ ..	do		
	Do .. 10 × 24 × 1 ..	24 in each size.		
	10 × 18 × 1 ..	do		
	10 × 15 × 1 ..	do		
	10 × 12 × 1 ..	do		
	Do .. 6 × 24 × ¾ ..	20 in each size.		
	6 × 18 × ¾ ..	do		
	6 × 15 × ¾ ..	do		
	6 × 12 × ¾ ..	do		
	Do .. 6 × 18 × ½ ..	20 in each size.		
	6 × 15 × ½ ..	do		
	6 × 12 × ½ ..	do		

N.B.—It should be clearly mentioned whether the wood offered is Mysore Teak or Burma Teak.

No. S. P. C. 31727-51, *dated 26th May* 1939.

To

The Firms dealing in Machinery.

Enquiry No. 3450.

AIR COMPRESSOR FOR GOVERNMENT ELECTRIC FACTORY.

GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described below:—

1.	AIR COMPRESSOR—Portable type—Electric Motor driven to be mounted on Air Receiver of sufficient capacity to supply one Air Drill and Riveter at a time. The Compressor is to be of the Air Cooled type to deliver about 60 c.ft. of air per minute at about 80-100 lbs. per sq. inch gauge. (Single or two stage) (Auto Start and Stop—V Belt drive)	*One*
2.	Air Receiver mounted with pressure gauge to read up to 125 lbs. per sq. inch, Safety Valve and drain off cock	*One*
3.	Hose pipe with standard couplings at both ends about 60'—0" length	*One length*
4.	Air Drilling Machine to hold drill bits up to $1\frac{1}{8}$"	*One*
5.	Riveter to work up to $\frac{1}{2}$, $\frac{5}{8}$, $\frac{3}{4}$, $\frac{7}{8}$" rivets in the hot state to include one set of snaps for each size	*One*
6.	Electric motor of required H. P. to suit 220 volts, 25 cycles, 3 phase, including starter	*One*

N.B.—(1) The prices to be quoted should be for delivery, f.o.r., Bangalore City.

(2) The quotations for the respective items should be given separately.

(3) The name of the makers should be specified.

(4) Illustrative leaflets of the machinery offered should be sent with the quotation.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee, reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Air Compressor for the Government Electric Factory" with the above enquiry Number.

This enquiry will be closed on the 26th June 1939.

No. S. P. C. 31756-65, *dated 26th May* 1939.

To

The Firms dealing in Teakwood.

Enquiry No. 3453.

TEAKWOOD FOR SHIMSHA NEW PROJECT.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed overleaf.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Teakwood for Shimsha New Project" with the above enquiry Number.

This enquiry will be closed on the 7th June 1939.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
			Maddur.	
	Teakwood planks, best Mysore, well seasoned, without cracks, knots, whitewood or other defects and uniform in substance, straight in fibre and of uniform colour ..			
	The planks should be planed on all the four sides. An allowance of 1–16″ will be given for planing.			
1	Size 9″×4½″×12′—6″ long	392 lengths		
2	Size 9″×4½″×15′—3″ long	56 ,,		

The planks should be supplied immediately on receipt of the order.

No. S. P. C. 31978-97, *dated 27th May* 1939.

To

The Firms dealing in packing timber.

Enquiry No. 3456.

RED VEPU PLANKS REQUIRED FOR PACKING SOAP CASES.

GENTLEMEN,

Please be good enough to quote your best present day prices for planks conforming to the attached specifications and measurements required for making packing cases of different varieties and intimate the earliest time within which you will deliver the planks if an order is placed.

The quotation should be for delivery, F.O.R., Bangalore City.

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to the specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to a levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages.

The quotation should be superscribed "Quotation for 'Red Vepu' Planks for Packing Cases" and sent to the undersigned with the above enquiry number.

This enquiry will be closed on 15th June 1939.

Specifications.

1. All planks should be of "Red Vepu" only.
2. All planks should be planed on one side.
3. The planks should be free from knots and other defects.
4. Side and top planks should not have more than two pieces; but all end planks should be of one piece only.
5. When the case is prepared, the grains of planks should be horizontal and not vertical.
6. Measurements of planks should be as per list noted below:—

Size No. 1. *Measurements.*

(Toilet soap case).

	L.		B.		H.
Inside measurements	20¾″	×	14″	×	12⅝″

Sizes of planks required :—

	L.		B.		Thickness
2 end planks	12⅝″	×	14″	×	¾″ each.
2 side planks	23¾″	×	13⅝″	×	½″ ,,
2 top and bottom planks	22¼″	×	14″	×	½″ ,,
4 battens	13⅝″	×	2″	×	¾″ ,,

Size No. 2.

(Washing soap case).

	L.		B.		H.
Inside measurements	18¾″	×	15″	×	10″

	L.	×	B.		Thickness
Size of planks required :—					
2 end planks	15″*	×	10″	×	¾″ each
2 side planks	21¾″	×	11″	×	½″ ,,
2 top and bottom planks	15″	×	20¼″	×	½″ ,,
4 battens	11″	×	2″	×	¾″ ,,

Size No. 3.

(Mysore bath tablet case).

	L.		B.		H.
Inside measurements	19½″	×	13¼″	×	12¼″

Size of planks required :—

	L.		B.		Thickness
2 end planks	12¼″	×	13¼″*	×	¾″ each
2 side planks	22½″	×	13¼″	×	½″ ,,
2 top and bottom planks	21″	×	13¼″	×	½″ ,,
4 battens	13¼″	×	2″	×	¾″ ,,

Size No. 4.

(Toilet half case).

	L.		B.		H.
Inside measurements	20¾″	×	14″	×	6¼″

Size of planks required :—

	L.		B.		Thickness
2 end planks	14″*	×	6¼″	×	¾″ each
2 side planks	23¾″	×	7¼″	×	½″ ,,
2 top and bottom planks	22¼″	×	14″	×	½″ ,,
4 battens	7¼″	×	2″	×	¾″ ,,

Size No. 5.

(Bar soap cases).

	L.		B.		H.
Inside measurements	20″	×	10″	×	14¼″

Sizes of planks required :—

	L.		B.		Thickness
2 end planks	14¼″*	×	10″	×	¾″ each
2 side planks	23″	×	11″	×	½″ ,,
2 top and bottom planks	21½″	×	14¼″	×	½″ ,,
4 battens	11″	×	2″	×	¾″ ,,

* Measurements along with the grains of wood.

N.B.—Tendering firms should supply sample cases of different sizes to the Government Soap Factory and should also specify the kind of wood used for the purpose.

Yours faithfully,

T. RANGASWAMI,

Secretary,

Stores Purchase Committee.

Statement of orders placed by the Stores Purchase Committee, Government of Mysore, Bangalore, both in India and Foreign Countries during the week ending Saturday the 29nd April 1939.

Indent & Enquiry No.	Description of materials	Quantity	Name of the Firm	Value of the order
Local.			Messrs :—	Rs. a. p.
4739	Steel rails—FF. 41¼ lbs. section 24 Ft. long, class II-A quality secondhand serviceable in standard lengths.	100 Nos.	The Controller of Stores, M. S. M. Railway, Co., Ltd., Madras.	95 0 0 per ton, f.o.r., Chakralapalli.
Extn.				
4897	Spare Parts for filters	Lot	Jewell Filter, Co., Ltd., Calcutta.	1,757 0 0 f.o.r., Bangalore City.
3378				
4899	60″ Jewell pressure filters for 75 Ft. working pressure, capacity 2,000 gallons per hour.	Two	Jewell Filter Company, Limited, Calcutta.	3,250 0 0 each, f.o.r., Maddur
3350	Coagulant Feet Apparatus complete with fittings of brass.	One	Do do ..	600 0 0 lot, do
	Complete set of piping and valves required for washing of the above filters.	One Set	Do do ..	498 0 0 per complete set, f.o.r., Maddur.
4900	Washing Soap Cartons	4,00,000	B. Sreenivasa Iyengar, Bangalore.	6 10 0 per 1,000 cartons, delivered free at the Government Soap Factory.
3277				
	Washing Soap Cartons	1,00,000	The Mysore Art Engraving Co., Mysore.	6 12 0 do
4901	Salters spring balance of 200 lbs. capacity.	20 Nos.	T. S. Wahab & Bros., Bangalore	10 14 0 each, f.o.r., Bangalore.
3331				11 4 0 each. f.o.r., any other Railway Station.
4473	Best Cawnpore leather Head Stalls with eye fringes.	100 Nos.	Jan & Co., Bangalore ..	5 12 6 each, free delivery at the Military Stores.
Extn.				
4902	Weston's Patent differential pulley blocks with guider and chain for 15 ft. lift—4 tons.	One	Jessop & Co., Ltd., Calcutta ..	140 0 0 nett, f.o.r., Calcutta.
3305				
Foreign.				
2776	Meters—single phase, two wire, 5 amp. kilo-watt-hour, 220 volts, 25 cycles with cyclo-meter type register temperature compensating device, etc.	696	Industrial and Agricultural Engineering Co., Madras.	6 12 0 each, c.i.f., Madras
Extn.				
2762	Cable—No. 8 B. & S. stranded varnished cambric for 5,000 volts.	1,200 Ft.	United States Steel Products Co., New York.	$ 84·00 lot, c.i.f., Madras
Extn.	Cable—No. 10 B. & S. do ..	10,500 Ft.	Do do ..	$ 577·50 do
2641	Scarab Moulding powders ..	45 Cwts.	The Beetle Products Co., Ltd., Birmingham.	£ 0 0 9 per lb., f.o.b., Liverpool.
Extn:				
2804	Lightning Arresters—Siemens Schukert, cathode drop, type R 450–15.	63 Nos.	Siemens (India), Ltd., Madras ..	Rs. 44 8 0 each, c.i.f., Madras
3265				
2741	Underground cable—No. 8 B. & S. single conductor V. C. insulated, lead-covered and jute served, for 8,000 volts service.	10,000 Ft.	Siemens (India), Ltd., Madras ..	3,381 0 0 lot, c.i.f., Madras
Extn.				

Statement of orders for the week ending Saturday the 6th May 1939.

Local.			Messrs :—	Rs. a. p.
4903	C. I. Road Boxes with clamps and nuts.	400 Nos.	Eswara Iron Foundry, Bangalore	2 7 0 each, free delivery in Bangalore.
3339				
	C. I. Road Boxes size 1 Ft., weight 28 lbs.	400 ,,	Sri Krishna Engineering Works, Bangalore City.	2 8 0 do
	C. I. Road Boxes size 1¼ Ft., weight 34 lbs.	250 ,,	Do do ..	2 14 0 do
	C. I. Road Boxes size 1½ Ft., weight 40 lbs.	150 ,,	Do do ..	3 4 0 do
	C. I. Casing pipes 2″ of 3 Ft. long, weight 24 lbs.	200 ,,	Do do ..	1 11 0 do
	Do 2 Ft. long, weight 15 lbs.	100 ,,	Do do ..	1 2 0 do
4904	Arc Welding set—single operator single shaft, type RF 69–ADR 1202, for welding currents from about 15 upto 300 amps.	One set	The Electrical Cable and Machinery Co., Ltd., Bombay.	1,757 0 0 f.o.r., Bombay
3344				
	Welders Accessories suitable for the above machine	One set.	Do do ..	105 0 0 do
4905	Dark blue woollen serge putties, size 9′×4″ complete with woollen tape 45″ long.	1,000 pairs	M. Moosa Raza Sahib & Sons, Bangalore City.	2 15 0 a pair, free delivery at the Office of the Inspector-General of Police.
3376				

Indent & Enquiry No.	Description of materials	Quantity	Name of the Firm	Value of the order
			Messrs.—	Rs. a. p.
4906	Centrifugal Pump—Kirloskar directly coupled, tapped for 5″ suction and delivery 4″ directly coupled to a "CROMPTON PARKINSON" squirrel cage induction motor of 10 B.H.P.	One set	Kirloskar Bros., Ltd., Bangalore	750 0 0 for complete set, f.o.r., Chikkabanswar.
3400				
4907	Well seasoned Burmah Teakwood of size.	Lot	Mane Hanumantha Rao & Sons, Bangalore City.	2,200 0 0 lot, free delivery at Government Electric Factory.
3330			Jubilee Saw Mills & Wood Works, Bangalore City.	220 0 0 do
			R. E. Mody & Co., Bombay ..	710 0 0 do
4524	Paper—Printing double demy, 35″ × 22½″—36 lbs. water marked GOVERNMENT OF MYSORE in flat reams of 500 sheets each.	750 reams	The Mysore Paper Mills, Ltd., Bangalore.	7 8 0 a ream, f.o.r., Bangalore.
Extn.				
4910	Insulators—Pin type 11,000 volts 5½″ × 4″ green glazed.	140 Nos.	The Government Porcelain Factory, Bangalore.	1 9 0 each. f.o.r., Belagola.
3385				
4911	Stoneware pipes 6″ dia. each of 2 Ft. long of Burn & Co.'s make.	260 Nos.	Arnugam Nagarathnam & Co., Bangalore.	1 7 6 each, f.o.r., Mysore
3393				
4912	Tyres—Heavy duty Beloon type No. 10 ply—size 32 × 6.	4 ,,	Firestone Tyre & Rubber Co., of India, Ltd., Madras.	76 3 0 each, f.o.r., Mysore
	Do do	8 ,,	Goodyear Tyre & Rubber Co., Ltd., Madras.	76 3 0 do
	Tyres—Heavy Duty—India super doulbe over size—size 30 × 5.	9 ,,	K. Venkataswamy, Bangalore City.	52 10 0 do
4913	Mild Steel Welded Water Tank Cart	One	Garlick & Co., Bombay ..	355 0 0
3294				
4914	T. W. Laboratory Tables with 4 cup boards, each cup board containing 2 compartments with 12 legs. Dimensions 12′ × 2½′ × 2½′.	Two	Hajee H. Abdul Gaffoor & Sons, Bangalore City.	90 0 0 each, free delivery at Lal-Bagh.
4915	G. I. Wire netting—4 Ft. wide ½″—22 gauge—50 yards per roll.	25 rolls	M. N. Hussen & Co., Bangalore	18 7 0 per roll, free delivery in Bangalore.
3417				
4916	Dodge TF, 32 Chassis, 160″ wheel base, 6 cylinder engine of 27 H. P. 30 × 5 front tyres 30 × 5 dual rear tyres, with Driver's Cab.	One	Addison & Co., Ltd., Madras	3,495 0 0 f.o.r., Bangalore
3333				
Foreign.				
2805	Industrial Analyser—Westinghouse type "TA" style No. 836800.	7 *Nos.*	Westinghouse Electric Co., of India, Ltd., Bombay.	$ 275·00 each, c.i.f., Madras
3256				
2753	Spares for G. E. Meters	Lot	International General Electric Co., India, Ltd., Bangalore City.	Rs. 102 0 0 f.o.r., Bangalore
Extn.				
2806	Telephones—type N 1853 B. Ericsson Portable standard bridging set with 5 magnet generator 2000 ohms. bell.	50 Nos.	Ericsson Telephones Ltd., Calcutta.	Rs. 111 8 0 each, f.o.r., Bangalore.
3162				
2807	Cartons—Big Mysore Sandal Soap	7,50,000 Nos.	Seihan Printing Co., Ltd., Japan	Rs. 9 8 0 per 1,000 cartons c.i.f., Madras.
3286				
2808	Disconnecting switches, 8 K. V., 600 amps.	12 Nos.	Volkart Brothers, Madras ..	£ 2 13 6 each, c.i.f., Madras
3317				
	Integrating watt hour meter, switch board pattern	One	Do ..	£ 10 15 0 do
	Current Transformers	Two	Crompton Engineering Co., Madras.	£ 3 17 6 each, do
	Potential Transformers	Two	Do do ..	£ 8 0 0 each, do
	Spare fuses for above	Two	Do do ..	£ 0 12 6 each, do
2777	Aluminium Cable, steel reinforced No. 4 B. & S. electrically equivalent to No. 6 B. & S. copper, consisting of 6 strands of aluminium 0·0834″.	37 Miles	International General Electric Co. (India), Ltd., Bangalore.	£ 11 15 0 per mile, c.i.f., Madras.
Extn.				
	Aluminium Cable, steel reinforced No. 3–0 B. & S. electrically equivalent to No. 1–0 B. & S. consisting of 6 strands of aluminium 0·1672″.	22½ Miles	Do do ..	£ 46 0 0 do
2809	Copper wire—Hard Drawn Bare, No. 3–0 B. & S. size with a cross sectional area of 0·125 sq. inches consisting of 7 strands each of 0·152″ dia.	38,400 lbs.	The Eastern Electrical Light and Power Co., Ltd., Bombay.	Rs. 39 6 0 per cwt., c.i.f. Madras.
3352				
2674	Moulding Powders—Trolitan S. P. series 3000.	90 Cwts.	Chemdyes, Ltd., Madras ..	£ 7 1 8 per 100 kilos, c.i.f. Madras.
Extn.				
	Do S. P. K. R. series 2800.	10 ,,	Do	£ 6 5 0 do
2811	Chicago Grips—No. 1613-40 A. Klein's for bare copper wire No. 1–0 B. & S. of smaller size safe load 2,250 lbs. maximum opening ·375″.	12 Nos.	Standard Telephones & Cables, Limited, Calcutta.	Rs. 12 8 0 each, c.i.f., Madras
3267				

Indent & Enquiry No.	Description of materials	Quantity	Name of the Firm	Value of the order
			Messrs :—	Rs. a. p.
	Chicago Grips—No. 1626-39 for No. 3 B. & S. to 300,000 C.M.A. C. S. R. maximum opening 0.75".	18 Nos.	Standard Telephones & Cables, Limited, Calcutta.	31 0 0 each c.i.f., Madras.
	Chicago Grips—No. 1628—6 for Messenger strand and heavy cables.	22 ,,	Do do ..	35 0 0 do

Statement of orders placed by the Stores Purchase Committee, Government of Mysore, Bangalore, both in India and Foreign Countries during the week ending Saturday the 13th May 1939.

Local.				Rs. a. p.
4919	Bed steads, maternity, with cradles attached.	36 Nos.	Messrs. Kirloskar Bros., Bangalore City.	55 0 0 each, f.o.r., Mysore
3326	Bed steads, maternity, with adjustable frames.	10 ,,	Godrej & Boyce Manufacturing Co., Bombay.	82 0 0 do
	Stands for two dressing drums ..	2 ,,	Allibhoy Vallijee & Sons, Multan	65 0 0 do
4922	Cartons for small toilet soaps ..	10 lakhs	B. Sreenivasa Iyengar, Bangalore.	5 10 0 per 1,000, free delivery at Bangalore.
3276				
4923	Hammer Lamp, Zeiss Hess with handle and two bulbs and regulating resistance for 220 volts A. C. 60 cycles with transformer for 220 volts A. C.	One	Adair Dutt & Co., Ltd., Madras	187 4 0 f.o.r., Mysore
4926	Paint, black, ready mixed in kegs of 28 lbs. for tree marking.	75 kegs	Binny & Co., Ltd., Madras ..	13 12 0 a Cwt., f.o.r., Bangalore.
3370	Paint, white, ready mixed in 14 lbs. kegs for tree marking.	20 kegs	Do ...	18 12 0 do
4635	Boots, ammunition, with toe cap machine made.	600 pairs.	M. Moosa Raza Saheb & Sons, Bangalore City.	6 0 0 a pair, free delivery at Bangalore.
Extn.				
4928	Grinding wheels, rough, "Nortons" of 16" dia. and 2" thick—1¼" hole	8 Nos.	M. N. Hussen & Co., Bangalore	37 8 0 each, f.o.r., Bangalore.
3386	Do 1½" hole	8 ,,	Do do ..	Do do
	Do 1¼" hole	4 ,,	Do do ..	Do do
4829	Arsenic Pentoxide 83/85 per cent As 2°5 granulated, best continental make packed in 5 cwt. drums.	55 Cwts.	Chemdyes Ltd., Madras ..	28 14 0 per cwt., f.o.r., Bhadravati.
Extn.	Copper sulphate 98/100 per cent large blue crystals, best Belgian make packed in 5 cwt. casks.	100 ,,	Do ..	19 15 0 do
	Potassium Dichromate "Electron" brand packed in 6 cwt. casks.	158 ,,	Do ..	36 3 0 do
Foreign.				
2813	Strain clamps, suitable for 3/0 A. C. S. R.	100 Nos.	Kilburn & Co., Calcutta ..	£ 2-8-3 each, c.i.f., Madras.
3351				
2796	Stalloy Stampings, Rectangular ..	9,800 lbs.	Joseph Sankey & Sons, through the Trade Commissioner for Mysore in London.	£ 44-0-0 per ton, f.o.b., London.
Extn.				Rs. a. p.
2817	Suspension Disc Insulators, Clevis type, 10" dia. 5¾" spacing.	21,000	Mitsui Bussan, Kaisha, Ltd., Madras.	65,625 0 0 c.i.f., Madras the lot.
3016	Galvanised Forged steel hooks with an ultimate strength of not less than 25,000 lbs.	1,000	Kilburn & Co., Calcutta ..	802 1 4 lot, c.i.f., Madras
	Arcing Horns, top and bottom galvanised, 24" long for attachment to Clevis type suspension Insulator.	3,000 sets	Callenders Cable & Construction Co., Ltd., Bombay	1 6 2 each, c.i.f., Madras.
	Arcing Horns, Galvanised 12" long for attachments to both ends of strain strings of Clevis type, Insulators.	1,000 sets	Do do ..	0 15 9 each, c.i.f., Madras
	Fittings, Galvanised for attachment to Clevis type, Insulators.	8,600 Nos.	Do do ..	1 1 10 do
	Twist Links, Galvanised with a mechanical strength of not less than 10,000 lbs.	3,300 Nos.	Do do ..	0 4 7 do
2818	Copper wire, Bare, hard drawn 6 B. & S. solid.	12,600 lbs.	Eastern Electric Light & Power Co., Ltd., Bombay.	773 5 4 per ton, c.i.f., Madras.
2819	Elevator	One	Miag Muhlenban Und Industrie Aktien, Gesellschaft, Germany.	475 0 0 f.o.b., Hamburg.
	Worm Conveyor	One	Do do ..	480 0 0 do
	Miag Turbo exhaust fan ..	One	Do do ..	750 0 0 do

T. RANGASWAMI.
Secretary,
Stores Purchase Committee.